

AGROLAB LUFA Dr.-Hell-Str. 6, 24107 Kiel

Date 06.09.2024

REPORT

Order **3483352** Order no: 2441
 Sample no. **427122**
 Sample acceptance **02.09.2024**
 Date of sampling **27.08.2024**
 Sample taker **Client**
 Customer sample description **sample no. 8:
 Organic Agaricus blazei powder
 Losnummer: B-ABP-24062401
 Ident.-Nr.: 100024**

Packaging **1x sachet, 100 g**

Unit Result Limit value Substance Method

Further sample data

| | | | | | |
|---------------------------|---|-----|--|----|--------------------|
| Amount of sample received | g | 111 | | OM | gravimetric method |
|---------------------------|---|-----|--|----|--------------------|

Trace elements / Heavy metals / Halogenides

| | | | | | |
|--------------|-------|-------|--|----|------------------------|
| Cadmium (Cd) | mg/kg | 0,508 | | OM | DIN EN 15763 : 2010-04 |
| Lead (Pb) | mg/kg | 0,115 | | OM | DIN EN 15763 : 2010-04 |
| Mercury (Hg) | mg/kg | 0,03 | | OM | DIN EN 13806 : 2002-11 |

Radionuclides

| | | | | | |
|--------|-------|-------|--|----|---------------------------------|
| Cs-134 | Bq/kg | <10,0 | | OM | E-gamma-SPEKT-LEBM-01 : 1997-05 |
| Cs-137 | Bq/kg | <10,0 | | OM | E-gamma-SPEKT-LEBM-01 : 1997-05 |

Pesticides Multiresiduemethods

| | | | | | |
|--|-------|--------------|--|----|---------------------------|
| 1-naphthylacetamide and 1-naphthylacetic acid | mg/kg | n.q. | | OM | calculated |
| 1-Naphthylacetic acid | mg/kg | <0,050 | | OM | EN 15662 : 2018-05 (mod.) |
| 1-Naphthylacetic amide | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| 2-Naphthoxyacetic acid | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| 2-Phenylphenol | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| 2,4-D (free acid) | mg/kg | <0,005 (LOD) | | OM | EN 15662 : 2018-05 (mod.) |
| 2,4-DB (free acid) | mg/kg | <0,005 (LOD) | | OM | EN 15662 : 2018-05 (mod.) |
| Carbofuran | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Sum carbofuran, 3-hydroxycarbofuran | mg/kg | n.q. | | OM | calculated |
| 3-Hydroxy-Carbofuran | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| 4,4'-Dibromobenzophenone | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| 2,4,5-T (free acid) | mg/kg | <0,005 (LOD) | | OM | EN 15662 : 2018-05 (mod.) |
| 4-Chlorophenoxyacetic acid (4-CPA) | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Acephate | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Acetamiprid | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Acetochlor | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |

The activities reported in this document are accredited according to DIN EN ISO/IEC 17025:2018. Only not accredited activities are identified by the symbol " *) ".

REPORT

Order **3483352** Order no: 2441

Sample no. **427122**

| | Unit | Result | Limit value | Substance | Method |
|---|-------|--------------|-------------|-----------|---------------------------|
| <i>Acibenzolaracid (free acid)</i> | mg/kg | <0,005 (LOD) | | OM | EN 15662 : 2018-05 (mod.) |
| <i>Acibenzolar-S-methyl (before hydrolysis)</i> | mg/kg | <0,005 (LOD) | | OM | EN 15662 : 2018-05 (mod.) |
| Sum acibenzolar-S-methyl and acibenzolar acid (without hydrolysis) | mg/kg | n.d. | | OM | calculated |
| Aclonifen | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Acrinathrin and its enantiomer | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Alachlor | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Aldicarb | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| <i>Aldicarb-sulfon</i> | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| <i>Aldicarb-sulfoxide</i> | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| <i>Pyridate (without hydrolysis)</i> | mg/kg | <0,005 (LOD) | | OM | EN 15662 : 2018-05 (mod.) |
| Sum aldicarb/-sulfon/-sulfoxid | mg/kg | n.q. | | OM | calculated |
| Sum pyridate (without hydrolysis) | mg/kg | n.d. | | OM | calculated |
| <i>Aldrin</i> | mg/kg | <0,005 | | OM | EN 15662 : 2018-05 (mod.) |
| <i>Dieldrin</i> | mg/kg | <0,005 | | OM | EN 15662 : 2018-05 (mod.) |
| Sum aldrin, dieldrin | mg/kg | n.q. | | OM | calculated |
| Ametoctradin | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Ametryn | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Aminocarb | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Amisulbrom | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| <i>Amitraz</i> | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| <i>N-2,4-Dimethylphenyl-N-methylformamidine</i> | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| <i>2,4-Dimethylphenylformamide</i> | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Sum amitraz | mg/kg | n.q. | | OM | calculated |
| Anthraquinone | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Atrazine | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Azaconazole | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Azadirachtin | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Azinphos-ethyl | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Azinphos-methyl | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Azoxystrobin | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Benalaxyl | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Bendiocarb | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Benfluralin | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Bensulfuron-methyl | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| <i>Bentazone</i> | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| <i>6-hydroxy-Bentazone</i> | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| <i>8-hydroxy-Bentazone</i> | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Sum bentazone | mg/kg | n.q. | | OM | calculated |
| Benthiavalicarb-isopropyl | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Benzovindiflupyr | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Bifenazate | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Bifenox | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Bifenthrin | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Biphenyl (Diphenyl) | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Bitertanol | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |

The activities reported in this document are accredited according to DIN EN ISO/IEC 17025:2018. Only not accredited activities are identified by the symbol "n.q."

Date 06.09.2024

REPORT

Order **3483352** Order no: 2441

Sample no. **427122**

| | Unit | Result | Limit value | Substance | Method |
|--|-------|--------|-------------|-----------|---------------------------|
| Bixafen | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Boscalid | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Bromacil | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Bromocyclen | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Bromophos-ethyl | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Bromophos-methyl | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Bromopropylate | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Bromoxynil | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Bromuconazole | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Bupirimate | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Buprofezin | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Butafenacil | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Butocarboxim | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Butocarboxim-sulfoxide | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Butoxycarboxim | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Cadusafos | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Captan | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Tetrahydrophthalimide (THPI) | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Sum captan and Tetrahydrophthalimide (THPI) | mg/kg | n.q. | | OM | calculated |
| Carbaryl | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Carbophenothion | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Carbophenothion-methyl | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Carbosulfan | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Carboxin | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Carboxinsulfoxide | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Oxycarboxin | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Sum carboxin | mg/kg | n.q. | | OM | calculated |
| Chlorantraniliprol | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Chlorbenside | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Chlorbufam | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Chlorobenzilate | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Sum carbendazim/benomyl | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Chlordane alpha | mg/kg | <0,005 | | OM | EN 15662 : 2018-05 (mod.) |
| Chlordane gamma | mg/kg | <0,005 | | OM | EN 15662 : 2018-05 (mod.) |
| Sum of cis- and trans-chlordane (F) (R) | mg/kg | n.q. | | OM | calculated |
| Chlordane oxy | mg/kg | <0,005 | | OM | EN 15662 : 2018-05 (mod.) |
| Chlorfenapyr | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Chlorfenprop-methyl | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Chlorfenson | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Chlorfluazuron | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Chlorflurenol | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Chlorflurenol-methyl | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Chloridazon | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Chlorphenvinphos | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Sum chloridazon | mg/kg | n.q. | | OM | calculated |
| Chlorimuron-ethyl | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Chlormephos | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Chloroneb | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |

The activities reported in this document are accredited according to DIN EN ISO/IEC 17025:2018. Only not accredited activities are identified by the symbol "n.q."

Date 06.09.2024

REPORT

Order **3483352** Order no: 2441

Sample no. **427122**

| | Unit | Result | Limit value | Substance | Method |
|--------------------------------------|-------|--------|-------------|-----------|---------------------------|
| Chlorotoluron | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Chlorpropham | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Chlorpropylate | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Chlorpyrifos | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| <i>Chlorpyrifos-methyl</i> | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| <i>Chlorpyrifos-methyl-desmethyl</i> | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Chlorthal-dimethyl | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Chlorthalonil | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Chlorthion | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Chlorthiophos | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Chlozolinate | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Cinosulfuron | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Sum chlorpyrifos-methyl | mg/kg | n.q. | | OM | calculated |
| <i>Clethodim</i> | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| <i>Clethodimsulfon</i> | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| <i>Clethodimsulfoxide</i> | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| <i>Sethoxydim</i> | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Sum clethodim | mg/kg | n.q. | | OM | calculated |
| Climbazole | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Clodinafop | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Clodinafop-propargyl | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Clofentezin | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Clomazone | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Clopyralid | mg/kg | <0,050 | | OM | EN 15662 : 2018-05 (mod.) |
| Cloquintocet-mexyl | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Clothianidin | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Coumaphos | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Crimidine | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Cyanazin | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Cyanofenphos | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Cyanophos | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Cyantraniliprol | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Cyazofamid | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Cyclanilid | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Cycloate | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| <i>Cycloxydim</i> | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Sum cycloxydim | mg/kg | n.q. | | OM | calculated |
| Cyflufenamid | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Cyflumetofen | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Cyfluthrin | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Cyhalofop-butyl | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Cymoxanil | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Cypermethrin | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Cyproconazole | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Cyprodinil | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| <i>o,p-DDD</i> | mg/kg | <0,005 | | OM | EN 15662 : 2018-05 (mod.) |
| <i>o,p-DDE</i> | mg/kg | <0,005 | | OM | EN 15662 : 2018-05 (mod.) |
| <i>o,p-DDT</i> | mg/kg | <0,005 | | OM | EN 15662 : 2018-05 (mod.) |
| <i>p,p-DDD</i> | mg/kg | <0,005 | | OM | EN 15662 : 2018-05 (mod.) |
| <i>p,p-DDE</i> | mg/kg | <0,005 | | OM | EN 15662 : 2018-05 (mod.) |

The activities reported in this document are accredited according to DIN EN ISO/IEC 17025:2018. Only not accredited activities are identified by the symbol "n.q."

Date 06.09.2024

REPORT

Order **3483352** Order no: 2441

Sample no. **427122**

| | Unit | Result | Limit value | Substance | Method |
|---|-------|--------------|-------------|-----------|---------------------------|
| <i>p,p</i> -DDT | mg/kg | <0,005 | | OM | EN 15662 : 2018-05 (mod.) |
| Sum DDT-isomers | mg/kg | n.q. | | OM | calculated |
| Deltamethrin | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Demeton-S-methyl | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Demeton-S-methyl-sulfone | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Oxydemeton-methyl | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Sum oxydemeton-methyl, demeton-S-methyl-sulfon | mg/kg | n.q. | | OM | calculated |
| Desisopropylatrazine | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Desmedipham | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Desmetryn | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Diazinon | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Dichlobenil | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Dichlofenthione | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Dichlofluanid | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Dichlorprop (free acid) | mg/kg | <0,005 (LOD) | | OM | EN 15662 : 2018-05 (mod.) |
| Dichlorvos | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Diclobutrazole | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Diclofop | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Dicloran | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Dicofol | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Dicrotophos | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Diethofencarb | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Diethyltoluamide (DEET) | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Difenacoum | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Difenoconazole | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Diflubenzuron | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Diflufenican | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Dimethenamide | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Dimethoate | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Dimethomorph | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Dimethylaminosulfotoluidide (DMST) | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Tolyfluanide | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Sum tolyfluanid | mg/kg | n.q. | | OM | calculated |
| Dimoxystrobin | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Diniconazole | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Dinocap | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Dinotefuran | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Dinoterb (before hydrolysis) | mg/kg | <0,005 (LOD) | | OM | EN 15662 : 2018-05 (mod.) |
| Diphenamid | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Diphenylamine | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Dipropetryn | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Disulfoton | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Disulfoton-sulfone | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Disulfoton-sulfoxide | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Sum disulfoton | mg/kg | n.q. | | OM | calculated |
| Ditalimfos | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Diuron | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| DMSA | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Dodemorph | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |

The activities reported in this document are accredited according to DIN EN ISO/IEC 17025:2018. Only not accredited activities are identified by the symbol "n.q."

Date 06.09.2024

REPORT

Order **3483352** Order no: 2441
Sample no. **427122**

| | Unit | Result | Limit value | Substance | Method |
|---|-------|--------|-------------|-----------|---------------------------|
| Dodin | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Emamectin | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Endosulfan alpha | mg/kg | <0,005 | | OM | EN 15662 : 2018-05 (mod.) |
| Endosulfan beta | mg/kg | <0,005 | | OM | EN 15662 : 2018-05 (mod.) |
| Endosulfansulfat | mg/kg | <0,005 | | OM | EN 15662 : 2018-05 (mod.) |
| Sum endosulfan-alpha, -beta, -sulfat | mg/kg | n.q. | | OM | calculated |
| Endrin | mg/kg | <0,005 | | OM | EN 15662 : 2018-05 (mod.) |
| Endrin Ketone | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| EPN | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Epoxiconazole | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| EPTC | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Etaconazole | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Ethalfuralin | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Ethiofencarb | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Ethiofencarb-sulfon | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Ethiofencarb-sulfoxide | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Ethion | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Ethiprole | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Ethirimol | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Ethofumesate | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Ethofumesate-2-keto | mg/kg | <0,050 | | OM | EN 15662 : 2018-05 (mod.) |
| Sum ethofumesate | mg/kg | n.q. | | OM | calculated |
| Ethoprophos | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Ethoxyquin | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Etofenprox | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Etoxazole | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Etridiazole | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Etrimfos | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Famoxadone | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Famphur | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Fenamidone | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Fenamiphos | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Fenamiphos-sulfoxide | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Fenamiphos-sulphone | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Sum fenamiphos, -sulphoxide, -sulphone | mg/kg | n.q. | | OM | calculated |
| Fenarimole | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Fenazaquine | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Fenbuconazole | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Fenbutatin oxide | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Fenchlorphos | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Fenchlorphos-oxon | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Sum fenchlorphos | mg/kg | n.q. | | OM | calculated |
| Fenfluthrin | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Fenhexamid | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Fenitrothion | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Fenobucarb | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Fenoxaprop | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Fenoxycarb | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Fenpiclonil | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |

The activities reported in this document are accredited according to DIN EN ISO/IEC 17025:2018. Only not accredited activities are identified by the symbol "n.q."

REPORT

Order **3483352** Order no: 2441

Sample no. **427122**

| | Unit | Result | Limit value | Substance | Method |
|--|-------|--------------|-------------|-----------|---------------------------|
| Fenpicoxamid | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Fenpropathrine | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Fenpropidin | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Fenpropimorph | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Fenpyrazamin | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Fenpyroximate | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Fenson | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Fensulfothion | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Fensulfothion-oxon | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Fensulfothion-oxon-sulfon | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Fensulfothion-sulfon | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| <i>Fenthion</i> | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| <i>Fenthion-oxone</i> | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| <i>Fenthion-oxon-sulfon</i> | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| <i>Fenthionoxonsulfoxide</i> | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| <i>Fenthion-sulfon</i> | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| <i>Fenthion-sulfoxide</i> | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Sum fenthion | mg/kg | n.q. | | OM | calculated |
| Fentin | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Fenuron | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Fenvalerate | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| <i>Fipronil</i> | mg/kg | <0,002 | | OM | EN 15662 : 2018-05 (mod.) |
| <i>Fipronil-sulfon</i> | mg/kg | <0,002 | | OM | EN 15662 : 2018-05 (mod.) |
| Sum fipronil, -sulfone (MB 46136) | mg/kg | n.q. | | OM | calculated |
| <i>Flonicamid</i> | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Florpyrauxifen-benzyl | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| <i>TFNA</i> | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| <i>TFNG</i> | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Sum flonicamid | mg/kg | n.q. | | OM | calculated |
| Fluazifop (free acid) | mg/kg | <0,005 (LOD) | | OM | EN 15662 : 2018-05 (mod.) |
| Fluazifop-butyle | mg/kg | <0,005 (LOD) | | OM | EN 15662 : 2018-05 (mod.) |
| Fluazinam | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Flubendiamid | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Fluchloralin | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Flucythrinat | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Fludioxonil | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| <i>Flufenacet</i> | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| <i>Flufenacet ESA (ethansulfonic acid)</i> | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| <i>Flufenacet OA (Oxalamic Acid)</i> | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| <i>Flufenacet-alcohol</i> | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| <i>Flufenacet-thioglycolat-sulfoxid</i> | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Sum flufenacet | mg/kg | n.q. | | OM | calculated |
| Flufenoxuron | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Flufenzin | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Flumetralin | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Flumioxazin | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Fluometuron | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Fluopicolide | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Fluopyram | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |

The activities reported in this document are accredited according to DIN EN ISO/IEC 17025:2018. Only not accredited activities are identified by the symbol " * " .

REPORT

Order **3483352** Order no: 2441

Sample no. **427122**

| | Unit | Result | Limit value | Substance | Method |
|--|-------|--------------|-------------|-----------|---------------------------|
| Fluoxastrobin | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Flupyradifuron | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Fluquinconazole | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Flurochloridone | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Flurprimidol | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Flusilazole | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Fluthiacet-methyl | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Flutolanil | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Flutriafol | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Fluxapyroxad | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| FM 6-1 | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Triflumizole | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Fluoxypyryl (free acid) | mg/kg | <0,005 (LOD) | | OM | EN 15662 : 2018-05 (mod.) |
| Sum triflumizole and FM 6-1 | mg/kg | n.q. | | OM | calculated |
| Folpet | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Phthalimide | mg/kg | <0,020 | | OM | EN 15662 : 2018-05 (mod.) |
| Sum of Folpet and Phthalimide | mg/kg | n.q. | | OM | calculated |
| Forchlorfenuron | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Fonofos | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Formetanate(hydrochloride) | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Formothion | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Fosthiazat | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Fuberidazole | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Furalaxyl | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Furathiocarb | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Genite | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Halfenprox | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Halofenozid | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Haloxypop (free acid) | mg/kg | <0,005 (LOD) | | OM | EN 15662 : 2018-05 (mod.) |
| Haloxypop methyl | mg/kg | <0,005 (LOD) | | OM | EN 15662 : 2018-05 (mod.) |
| Haloxypop-ethoxy-ethyl | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| HCH-alpha | mg/kg | <0,005 | | OM | EN 15662 : 2018-05 (mod.) |
| HCH-beta | mg/kg | <0,005 | | OM | EN 15662 : 2018-05 (mod.) |
| HCH-delta | mg/kg | <0,005 | | OM | EN 15662 : 2018-05 (mod.) |
| HCH-epsilon | mg/kg | <0,005 | | OM | EN 15662 : 2018-05 (mod.) |
| Hexachlorobenzene | mg/kg | <0,005 | | OM | EN 15662 : 2018-05 (mod.) |
| HCH-gamma (Lindane) | mg/kg | <0,005 | | OM | EN 15662 : 2018-05 (mod.) |
| Heptachlor | mg/kg | <0,005 | | OM | EN 15662 : 2018-05 (mod.) |
| Heptachlorepoxyde-cis | mg/kg | <0,005 | | OM | EN 15662 : 2018-05 (mod.) |
| Heptachlorepoxyde-trans | mg/kg | <0,005 | | OM | EN 15662 : 2018-05 (mod.) |
| Sum heptachlor, heptachlorepoxyde | mg/kg | n.q. | | OM | calculated |
| Heptenophos | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Hexaconazole | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Hexaflumuron | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Hexazinone | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Hexythiazox | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Icaridin (Picaridin) | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Imazalil | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Imazamox | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |

The activities reported in this document are accredited according to DIN EN ISO/IEC 17025:2018. Only not accredited activities are identified by the symbol "n.q."

Date 06.09.2024

REPORT

Order **3483352** Order no: 2441

Sample no. **427122**

| | Unit | Result | Limit value | Substance | Method |
|--|-------|--------------|-------------|-----------|---------------------------|
| Imazapic | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Imazapyr | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Imazaquine | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Imazethapyr | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Imibenconazole | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Imidacloprid | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Indoxacarb | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Iodofenphos | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Iodosulfuron-methyl-sodium | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Ioxynil | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Iprobenfos | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Iprodion | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Iprovalicarb | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Isazofos | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Isocarbophos | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Isodrin | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Isofenphos | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Isofenphos-methyl | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Isofetamid | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Isoprocarb | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Isoprothiolane | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Isoproturon | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Isopyrazam | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| isoxaben | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Isoxadifen-ethyl | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Isoxaflutole | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Sum Isoxaflutole | mg/kg | n.q. | | OM | calculated |
| Isoxathion | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Kresoxim-methyl | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Lambda-cyhalothrin | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Landrin (3,4,5-Trimethacarb) | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Lenacil | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Leptophos | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Linuron | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Malaaxon | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Malathion | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Sum of malathion and malaaxon | mg/kg | n.q. | | OM | calculated |
| Mandestrobin | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Mandipropamid | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| MCPA (free acid) | mg/kg | <0,005 (LOD) | | OM | EN 15662 : 2018-05 (mod.) |
| MCPB (free acid) | mg/kg | <0,005 (LOD) | | OM | EN 15662 : 2018-05 (mod.) |
| Sum MCPA, MCPB (without hydrolysis) | mg/kg | n.d. | | OM | calculated |
| Mecarbame | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Mecoprop | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Mefenpyr-diethyl | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Mepanipyrim | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Mepronil | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Meptyldinocap | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Metaflumizone | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |

The activities reported in this document are accredited according to DIN EN ISO/IEC 17025:2018. Only not accredited activities are identified by the symbol "n.q."

REPORT

Order **3483352** Order no: 2441
Sample no. **427122**

| | Unit | Result | Limit value | Substance | Method |
|--|-------|-------------|-------------|-----------|---------------------------|
| Metalaxyl (Sum of Metalaxyl and Metalaxyl-M) | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Metaldehyd | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Metamitron | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Metazachlor | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Sum metazachlor | mg/kg | n.q. | | OM | calculated |
| Metconazole | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Methabenzthiazuron | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Methacrifos | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Methamidophos | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Methidathion | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Methiocarb | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Methiocarb-sulfon | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Methiocarb-sulfoxid | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Sum methiocarb, -sulfone, -sulfoxide | mg/kg | n.q. | | OM | calculated |
| Methomyl | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Methoprotryne | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Methoxychlor | mg/kg | <0,005 | | OM | EN 15662 : 2018-05 (mod.) |
| Methoxyfenozide | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Metobromuron | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Metolachlor | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Metolcarb | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Metosulam | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Metoxuron | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Metrafenone | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Metribuzin | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Metsulfurone-methyl | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Mevinphos | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Mirex | mg/kg | <0,005 | | OM | EN 15662 : 2018-05 (mod.) |
| Molinate | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Monocrotophos | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Monolinuron | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Monuron | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Myclobutanil | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Napropamide | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Neburon | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Nicosulfuron | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Nitenpyram | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Nitralin | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Nitrpyrin | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Nitrofen | mg/kg | <0,005 | | OM | EN 15662 : 2018-05 (mod.) |
| Nitrothal-isopropyl | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Norflurazone | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Novaluron | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Nuarimol | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Octachlordipropylether (S421) | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Ofurace | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Omethoate | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Oxadiazon | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Oxadixyle | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |

The activities reported in this document are accredited according to DIN EN ISO/IEC 17025:2018. Only not accredited activities are identified by the symbol "n.q."

Date 06.09.2024

REPORT

Order **3483352** Order no: 2441

Sample no. **427122**

| | Unit | Result | Limit value | Substance | Method |
|---|-------|--------|-------------|-----------|---------------------------|
| Oxamyl | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Oxyfluorfen | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Paclobutrazol | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Paraoxon-ethyl | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Paraoxon-methyl | mg/kg | <0,020 | | OM | EN 15662 : 2018-05 (mod.) |
| Parathion-methyl | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Spinosyn A | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Sum Parathion-methyl | mg/kg | n.q. | | OM | calculated |
| Sum Spinosad | mg/kg | n.q. | | OM | calculated |
| Parathion-ethyl | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Pebulate | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Penconazol | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Pencycuron | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Pencycuron-PB-amin | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Pendimethalin | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Penflufen | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Pentachloro-aniline | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Quintozene | mg/kg | <0,005 | | OM | EN 15662 : 2018-05 (mod.) |
| Sum Pencycuron | mg/kg | n.q. | | OM | calculated |
| Sum quintozene and pentachloro-aniline | mg/kg | n.q. | | OM | calculated |
| Pentachloroanisol | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Pentachlorobenzene | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Pentachlorophenole (PCP) | mg/kg | <0,01 | | OM | EN 15662 : 2018-05 (mod.) |
| Penthiopyrad | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Permethrin | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Perthane | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Pethoxamid | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Phenkapton | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Phenmedipham | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Phenthoate | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Phorate | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Phorat-oxon | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Phorat-oxon-sulfon | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Phorat-oxon-sulfoxid | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Phorat-sulfon | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Phorat-sulfoxid | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Sum phorate | mg/kg | n.q. | | OM | calculated |
| Phosalone | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Phosmet | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Phosmet-oxon | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Phosphamidon | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| phoxim | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Picloram | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Picolinafen | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Picoxystrobin | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Piperonylbutoxide | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Pirimicarb | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Pirimicarb, Desmethylformamido- | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Pirimiphos-ethyl | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |

The activities reported in this document are accredited according to DIN EN ISO/IEC 17025:2018. Only not accredited activities are identified by the symbol "n.q."

REPORT

Order **3483352** Order no: 2441
Sample no. **427122**

| | Unit | Result | Limit value | Substance | Method |
|---|-------|--------------|-------------|-----------|---------------------------|
| Pirimiphos-methyl | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Prochloraz | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Prochloraz desimidazole-amino (BTS 44595) | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Prochloraz desimidazole-formylamino (BTS 44596) | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Sum prochloraz | mg/kg | n.q. | | OM | calculated |
| Procymidone | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Profenofos | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Profluralin | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Profoxydim | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Promecarb | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Prometryn | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Propachlor | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Propachlor OA (Oxalamic Acid) | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Sum propachlor | mg/kg | n.q. | | OM | calculated |
| Propamocarb | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Propanil | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Propaquizafop | mg/kg | <0,005 (LOD) | | OM | EN 15662 : 2018-05 (mod.) |
| Propargite | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Propazine | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Propetamphos | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Propham | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Propiconazole | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Propoxur | mg/kg | <0,005 | | OM | EN 15662 : 2018-05 (mod.) |
| Propoxycarbazone | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| 2-hydroxypropoxycarbazone | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Sum propoxycarbazone | mg/kg | n.q. | | OM | calculated |
| Propyzamide | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Proquinazide | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Prosulfocarb | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Prothioconazole (Prothioconazole-desthio) | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Prothiophos | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Pymetrozine | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Pyraclostrobin | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Pyraflufen-ethyl | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Pyrazophos | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Cinerin I | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Cinerin II | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Jasmolin I | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Jasmolin II | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Pyrethrin I | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Pyrethrin II | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Sum pyrethrins | mg/kg | n.q. | | OM | calculated |
| Pyridaben | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Pyridalyl | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Pyridaphenthion | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Oxathiapiprolin | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Pyrifenox | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Pyrimethanile | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |

The activities reported in this document are accredited according to DIN EN ISO/IEC 17025:2018. Only not accredited activities are identified by the symbol "n.q."

REPORT

Order **3483352** Order no: 2441
Sample no. **427122**

| | Unit | Result | Limit value | Substance | Method |
|--------------------------|-------|--------------|-------------|-----------|---------------------------|
| Pyrimidifen | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Pyriproxyfen | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Pyroxsulam | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Quinalphos | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Quinmerac | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Quinoxyfen | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Quizalofop (free acid) | mg/kg | <0,005 (LOD) | | OM | EN 15662 : 2018-05 (mod.) |
| Quizalofop-ethyl | mg/kg | <0,005 (LOD) | | OM | EN 15662 : 2018-05 (mod.) |
| Resmethrine | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Rotenone | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| RPA202248 | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| RPA203328 | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Sedaxane | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Silafluofen | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Silthiofam | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Simazin | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Spinetoram | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Spinosyn D | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Spiromesifen | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Spirotetramat | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Spirotetramat-enol | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Sum spirotetramat | mg/kg | n.q. | | OM | calculated |
| Spiroxamine | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Sulfentrazone | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Sulfotep | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Sulfoxaflor | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Sulprofos | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Fluvalinat | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Tebuconazole | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Tebufenozide | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Tebufenpyrad | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Tecnazene | mg/kg | <0,005 | | OM | EN 15662 : 2018-05 (mod.) |
| Teflubenzuron | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Tefluthrine | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Tembotrion | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Tepraloxydim | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Sum tepraloxydim | mg/kg | n.q. | | OM | calculated |
| Terbacil | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Terbufos | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Terbufos-sulfon | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Terbufos-sulfoxide | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Terbumeton | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Terbutryne | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Terbutylazin-desethyle | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Terbutylazine | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Tetrachlorvinphos | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Tetraconazole | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Tetradifon | mg/kg | <0,005 | | OM | EN 15662 : 2018-05 (mod.) |
| Tetramethrine | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Tetrasul | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |

The activities reported in this document are accredited according to DIN EN ISO/IEC 17025:2018. Only not accredited activities are identified by the symbol "n.q."

REPORT

Order **3483352** Order no: 2441

Sample no. **427122**

| | Unit | Result | Limit value | Substance | Method |
|-----------------------|-------|--------|-------------|-----------|---------------------------|
| Thiabendazole | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Thiacloprid | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Thiamethoxam | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Thiobencarb | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Thiodicarb | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Thiofanox-sulfoxide | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Thiometon | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Thiometon-sulfon | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Thiometon-sulfoxide | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Thiophanat-methyl | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Tolclofos-methyl | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Tolfenpyrad | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Tralkoxydim | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Transfluthrine | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Triadimefon | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Triadimenol | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Triallate | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Triasulfuron | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Triazamat | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Triazophos | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Trichlorfon | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Trichloronate | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Triclopyr | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Tricyclazole | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Tridemorph | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Trifloxystrobin | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Triflumuron | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Trifluralin | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Triflusulfuron-methyl | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Triforine | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Trinexapac | mg/kg | <0,020 | | OM | EN 15662 : 2018-05 (mod.) |
| Trinexapac-ethyl | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Triticonazole | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Tritosulfuron | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Uniconazole | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Valifenalate | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Vamidothion | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Vinclozolin | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Warfarin | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |
| Zoxamide | mg/kg | <0,010 | | OM | EN 15662 : 2018-05 (mod.) |

Explanation: The symbol "<" or n.q. in the result column means, the parameter concerned is not quantifiable at the limit of quantification shown opposite.

The sign "<..."(LOD)" or n.d. in column result means, the parameter concerned cannot be detected within the limit of detection.

Explanation: OM = on original matter; DM = on dry matter base

The calculation of the measurement uncertainties given in the following table is based on the GUM (Guide to the expression of uncertainty in measurement, BIPM, IEC, IFCC, ISO, IUPAC, IUPAP and OIML, 2008) and the Nordtest Report (Handbook for calculation of measurement uncertainty in environmental laboratories (TR 537 (ed. 4) 2017)). This is therefore a very reliable value with a 95% confidence level (confidence interval). Deviations from this are indicated as entries in the column "Deviating determination method".

Measurement uncertainty Deviating determination method Parameter

The activities reported in this document are accredited according to DIN EN ISO/IEC 17025:2018. Only not accredited activities are identified by the symbol "n.q."

REPORT

Order **3483352** Order no: 2441

Sample no. **427122**

| | | |
|-----|------------|--------------|
| 28% | VDLUFASR | Cadmium (Cd) |
| 25% | Estimation | Lead (Pb) |
| 33% | VDLUFASR | Mercury (Hg) |

Norm modification

EN 15662 : 2018-05 (mod.): Extension to matrix animal based food and feed, 2g sample weight for samples with low water content

The sampling date is a customer information.

Remark to amount of sample received: Total amount including packaging

Remark to 1-Naphthylacetamide and 1-Naphthylacetic acid: Sum of 1-Naphthylacetamide and 1-Naphthylacetic acid and its Salts, expressed as 1-Naphthylacetic acid.

Remarks on 2-phenylphenol: 2-phenylphenol (sum of 2-phenylphenol and its conjugates, expressed as 2-phenylphenol) (R) (F) The sum parameter takes into account the active metabolites that can currently be reliably detected analytically using the specified method. The actual content may be higher and can only be determined with a single method.

Remark to hydrolysis-relevant substances without carrying out the hydrolysis module: The validated limit of quantification is 0,01 mg/kg. All data below this determination limit are to be interpreted as non-quantifiable traces. The actual content including the bound residues can only be determined via an additional hydrolysis step.

Remark to Sum carbofuran, 3-hydroxycarbofuran: Sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran (R).

Remark to Sum acibenzolar-S-methyl and acibenzolar: Sum of acibenzolar-S-methyl and acibenzolar acid (free and conjugated), expressed as acibenzolar-S-methyl. The residue definition is not fully met as no hydrolysis has taken place in the multi-method.

Remark to Sum aldicarb/-sulfon/-sulfoxid: Sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb.

Remark to Sum Pyridate: Sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate).

The residue definition is not fully met as no hydrolysis has taken place in the multi-method.

Remark to Sum aldrin, dieldrin: Aldrin and dieldrin combined expressed as dieldrin (F).

Remark to Sum Amitraz: Amitraz including the metabolites containing the 2,4 -dimethylaniline moiety expressed as amitraz. The sum parameter takes into account the active metabolites that can currently be reliably detected analytically using the specified method. The actual content may be higher and can only be determined with a single method.

Remark to Benalaxyl: Benalaxyl including other mixtures of constituent isomers including benalaxyl-M (sum of isomers).

Remark to Sum bentazone: Sum of bentazone, its salts and 6-hydroxy (free and conjugated) and 8-hydroxy bentazone (free and conjugated), expressed as bentazone (R).

Remark to Benthialicarb-isopropyl: Benthialicarb-isopropyl (KIF-230 R-L) and its enantiomer (KIF-230 S-D) and its diastereomers (KIF-230 S-L and KIF-230 R-D), expressed as benthialicarb-isopropyl (A). The sum parameter takes into account the active metabolites that can currently be reliably detected analytically using the specified method. The actual content may be higher and can only be determined with a single method.

Remark to Sum bifenazate: Sum of bifenazate plus bifenazate-diazene expressed as bifenazate (F).

Remark to Bifenthrin: Sum of isomers (F).

Remark to Bromoxynil: Bromoxynil and its salts, expressed as bromoxynil.

Remark to Bromuconazole: Sum of diastereoisomers (F).

Remark to Sum captan and THPI: Sum of captan and THPI, expressed as captan (R) (A).

Remark to Sum Carboxin: Carboxin (carboxin plus its metabolites carboxin sulfoxide and oxycarboxin (carboxin sulfone), expressed as carboxin).

Remark to Sum carbendazim/benomyl: Sum of benomyl and carbendazim expressed as carbendazim (R).

Remark to Sum of cis- and trans-chlordane (F) (R): Chlordane (sum of cis- and trans-chlordane)

Remark to Sum chloridazon: Chloridazon (R) (sum of chloridazon and chloridazon-desphenyl, expressed as chloridazon). The sum parameter takes into account the active metabolites that can currently be reliably detected analytically using the specified method. The actual content may be higher and can only be determined with a single method.

Remark to chlorpyrifos: sum of chlorpyrifos-methyl and desmethyl chlorpyrifos-methyl (F)

Remark to Sum clethodim: Sum of sethoxydim and clethodim including degradation products calculated as sethoxydim. The sum parameter takes into account the active metabolites that can currently be reliably detected analytically using the specified method. The actual content may be higher and can only be determined with a single method.

Remark to Sum cycloxydim: Cycloxydim including degradation and reaction products which can be determined as 3-(3-thianyl)glutaric acid S-dioxide (BH 517-TGSO2) and/or 3-hydroxy-3-(3-thianyl)glutaric acid S-dioxide (BH 517-5-OH-TGSO2) or methyl esters thereof, calculated in total as cycloxydim. The sum parameter takes into account the active metabolites that can currently be reliably detected analytically using the specified method. The actual content may be higher and can only be determined with a single method.

Remark to Cyflufenamid: Sum of cyflufenamid (Z-isomer) and its E-isomer.

Remark to Cyfluthrin: Cyfluthrin including other mixtures of constituent isomers (sum of isomers) (F).

Remark to Cypermethrin: Cypermethrin including other mixtures of constituent isomers (sum of isomers) (F).

Remark to Summe DDT: sum DDT (sum of p,p'-DDT, o,p'-DDT, p,p'-DDE and p,p'-TDE (DDD) expressed as DDT) (F).

Remark concerning Deltamethrin: Deltamethrin (cis-deltamethrin) (F)

The activities reported in this document are accredited according to DIN EN ISO/IEC 17025:2018. Only not accredited activities are identified by the symbol " * " .

REPORT

Order **3483352** Order no: 2441

Sample no. **427122**

- Remark to Sum oxydemeton-methyl, demeton-S-methyl-sulfon: Sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl.
- Remark to Dichlorprop:Dichlorprop (Sum of Dichlorprop (including Dichlorprop-P), its Salts, Esters and Conjugates, expressed as Dichlorprop) @The validated limit of quantification is 0,01 mg/kg. All data below this determination limit are to be interpreted as non-quantifiable traces. The actual content including the bound residues can only be determined via an additional hydrolysis step.
- Remark to Diclofop: Sum diclofop-methyl and diclofop acid expressed as diclofop-methyl.By the multi-method only the free acid of the active ingredient is detected.If contents equal or higher than 0.008 mg/kg are detected, a quantitative analysis of the total acid is performed by hydrolysis
- Remark to Dicofol: Sum of p, p' and o,p' isomers (F).
- Remark to Dimethenamid: Dimethenamid including other mixtures of constituent isomers including dimethenamid-P (sum of isomers).
- Remark to Dimethomorph: Sum of isomers.
- Remark to Sum tolylfluanid: Sum of tolylfluanid and dimethylaminosulfotoluidide expressed as tolylfluanid (F) (R).
- Remark to Diniconazole: Sum of isomers.
- Remark to Dinocap: Sum of dinocap isomers and their corresponding phenols expressed as dinocap.By the multi-method only the free acid of the active ingredient is detected.If contents equal or higher than 0.008 mg/kg are detected, a quantitative analysis of the total acid is performed by hydrolysis
- Remark to Sum disulfoton: Sum of disulfoton, disulfoton sulfoxide and disulfoton sulfone expressed as disulfoton (F).
- Remark to Emamectin:Emamectin B1a and ist salts, expressed as emamectin B1a (free base) (R) (F)
- Remark to Sum endosulfan-alpha, -beta, -sulphate: Sum of alpha- and beta-isomers and endosulfan-sulphate expresses as endosulfan (F).
- Remark to Sum ethofumesate: Sum of ethofumesate, 2-keto-ethofumesate, open-ring-2-keto-ethofumesate and its conjugate, expressed as ethofumesate.The sum parameter takes into account the active metabolites that can currently be reliably detected analytically using the specified method. The actual content may be higher and can only be determined with a single method.
- Remark to Sum fenamiphos, -sulfoxide, -sulfone: Sum of fenamiphos and its sulphoxide and sulphone expressed as fenamiphos.
- Remark to Sum fenchlorphos: Sum of fenchlorphos and fenchlorphos oxon expressed as fenchlorphos.
- Remark to Fenpropidin: Sum of fenpropidin and its salts, expressed as fenpropidin (R) (A).
- Remark to Fenpropimorph: Sum of isomers (F) (R).
- Remark to sum fenthion:Fenthion and its oxigen analogue, their sulfoxides and sulfone expressed as parent (F).
- Remark to Fentin:Fentin including its salts, expressed as triphenyltin cation) (F).
- Remark to Fenvalerate: Any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate (F) (R).
- Remark to Sum fipronil, -sulfone (MB 46136): Sum fipronil + sulfone metabolite (MB46136) expressed as fipronil (F).
- Remark to Sum flonicamid: Sum of flonicamid, TFNA and TFNG expressed as flonicamid (R).
- Remark to Sum Flufenacet: Sum of all compounds containing the N fluorophenyl-N-isopropyl moiety expressed as flufenacet equivalent.
- Remark to Fluoxastrobin:Fluoxastrobin (sum of Fluoxastrobin and its Z-isomer) (R)
- Remark to Flurochloridone:Flurochloridone (Sum of cis- and trans- Isomers) (F)
- Remark to Sum triflumizole and FM 6-1: Triflumizole and metabolite FM-6-1(N-(4-chloro-2-trifluoromethylphenyl)-n-propoxyacetamide), expressed as Triflumizole (F).
- Remark to Sum folpet and phthalimide: Sum of folpet and phthalimide, expressed as folpet) (R).
- Remark to Formetanate(hydrochloride): Sum of formetanate and its salts expressed as formetanate(hydrochloride).
- Remark to Haloxyfop-ethoxy-ethyl:By the multi-method only the free acid of the active ingredient is detected.If contents equal or higher than 0.008 mg/kg are detected, a quantitative analysis of the total acid is performed by hydrolysis
- Remark to HCH-alpha: Hexachlorocyclohexane (HCH), alpha-isomer (F).
- Remark to HCH-beta: Hexachlorocyclohexane (HCH), beta-isomer (F).
- Remark to HCH-gamma (Lindane): Lindane (Gamma-isomer of hexachlorocyclohexane (HCH)) (F).
- Remark to Sum heptachlor, heptachlorepoide: Sum of heptachlor and heptachlor epoxide expressed as heptachlor (F).
- Remark to Imazalil: Imazalil (any ratio of constituent isomers) (R)
- Remark to Imazamox: Sum of imazamox and its salts, expressed as imazamox.
- Remark to Indoxacarb: Sumof indoxacarb and its R enantiomer (F).
- Remark to Iodosulfuron-methyl-sodium: Sum of idosulfuron-methyl and its salts, expressed as idosulfuron-methyl.
- Remark to Sum Isoxaflutole: Isoxaflutole (sum of isoxaflutole and its diketonitrile-metabolite, expressed as isoxaflutole)
- Remark to Lambda-cyhalotrin:Lambda-Cyhalothrin including other mixed isomer components (sum of isomers)
- Remark to Sum malathion and malafoxon: Sum of malathion and malafoxon expressed as malathion.
- Remark to Mandipropamid: Mandipropamid (any ratio of constituent Isomers)
- Remark to Sum MCPA, MCPB: MCPA and MCPB (MCPA, MCPB including their salts, esters and conjugates expressed as MCPA) (R) (F). The residue definition is not fully met as no hydrolysis has taken place in the multi-method.
- Remark to Mecoprop: Sum of mecoprop-p and mecoprop expressed as mecoprop.
- Remark to meptyldinocap: Sum of meptyldinocap and meptyldinocap phenol (2,4-DNMHP) expressed as meptyldinocap (F).By the multi-method only the free acid of the active ingredient is detected.If contents equal or higher than 0.008 mg/kg are detected, a quantitative analysis of the total acid is performed by hydrolysis
- Remark to Metaflumizon: Sum of E- and Z-isomers.

The activities reported in this document are accredited according to DIN EN ISO/IEC 17025:2018. Only not accredited activities are identified by the symbol " * " .

REPORT

Order **3483352** Order no: 2441

Sample no. **427122**

Remark to Metalaxyl (Sum of metalaxyl and metalaxyl-M): Metalaxyl including other mixtures of constituent isomers including metalaxyl-M (sum of isomers).

Remark to Sum metazachlor: Sum of metabolites 479M04, 479M08, 479M16, expressed as metazachlor (R). The sum parameter takes into account the active metabolites that can currently be reliably detected analytically using the specified method. The actual content may be higher and can only be determined with a single method.

Remark to Metconazol: Sum of isomers (F).

Remark to Sum methiocarb, -sulfone, -sulfoxide: Sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb.

Remark to Metobromuron: Sum of metobromuron and 4-bromophenylurea, expressed as metobromuron. The sum parameter takes into account the active metabolites that can currently be reliably detected analytically using the specified method. The actual content may be higher and can only be determined with a single method.

Remark to Metolachlor: Metolachlor including other mixtures of constituent isomers including S-metolachlor (sum of isomers).

Remark to Mevinphos: Sum of E- and Z-isomers.

Remark to Paclobutrazol: Sum of the isomers.

Remark to Sum parathion-methyl: Sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl.

Remark to Spinosad: Spinosad (spinosad, sum of spinosyn A and spinosyn D) (F)

Remark to Penconazol: Penconazol (Sum of isomers) (F)

Remark to Pencycuron: Pencycuron (sum of pencycuron and pencycuron-PB-amine, expressed as pencycuron) (R) (F) (A).

Remark to Sum quintozone and pentachloro-aniline: Sum of quintozone and pentachloro-aniline expressed as quintozone (F).

Remark to Permethrin: Sum of isomers (F).

Remark to Sum phorate: Sum of phorate, its oxygen analogue and their sulfones expressed as phorate.

Remark to Sum prochloraz: Sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz.

Remark to Sum propachlor: Oxalinic derivat of propachlor, expressed as propachlor.

Remark to Propamocarb: Propamocarb (Sum of propamocarb and its salts, expressed as propamocarb) The sum parameter takes into account the active metabolites that can currently be reliably detected analytically using the specified method. The actual content may be higher and can only be determined with a single method.

Remark to Propiconazol: Sum of the isomers (F).

Remark to Sum propoxycarbazon: Propoxycarbazon, its salts and 2-hydroxypropoxycarbazon expressed as propoxycarbazon.

Remark to Prothioconazole (Prothioconazole-desthio): Prothioconazole-desthio (sum of isomers) (F).

Remark to Quinmerac: Quinmerac (sum of quinmerac and its metabolites BH 518-2 and BH 518-4 expressed as quinmerac) (R) The parameter takes into account the active metabolites, which are detectable safely using the specified method. The actual content may be higher and can only be determined with a single method.

Remark to Resmethrin: Resmethrin including other mixtures of constituent isomers (sum of isomers) (F).

Remark to Sum Spirotetramat: Spirotetramat and spirotetramat-enol (sum of), expressed as spirotetramat (R)

Remark to Spiroxamine: Sum of isomers (A) (R).

Remark to Sulfoxaflor: Sum of isomers.

Remark to Fluvalinate: Fluvalinate (sum of isomers) as result of usage of tau-fluvalinate (F)

Remark to Sum tepraloxydim: Sum of tepraloxydim and its metabolites that can be hydrolysed either to the moiety 3-(tetrahydro-pyran-4-yl)-glutaric acid or to the moiety 3-hydroxy-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepraloxydim. The sum parameter takes into account the active metabolites that can currently be reliably detected analytically using the specified method. The actual content may be higher and can only be determined with a single method.

Remark to Tralkoxydim: Sum of the constituent isomers of tralkoxydim.

Remark to triadimenol: triadimenol (any ratio of the isomer components)

Remark to Trinexapac: Sum of trinexapac (acid) and its salts, expressed as trinexapac.

Remark to Trinexapac: Trinexapac (Sum of Trinexapac (-acid) and its Salts, expressed as Trinexapac)

Remarks

see Annex "3483352.pdf"

Start of testing: 02.09.2024

End of testing: 04.09.2024

The results are related only to the samples tested. In cases where the laboratory has not been responsible for sampling, the reported results apply to the samples as received. The laboratory is not responsible for the information provided by the customer. The customer information, if any, presented in this test report is not subject to the accreditation of the laboratory and may affect the validity of the test results. Duplication of this document or of parts of it requires the authorization from laboratory.

In conformity assessment, the economic approach is used as the decision rule (a non-conformity exists if the measurement result is included measurement uncertainty above the specification or standard), as long as nothing else has been determined by corresponding legal or normative bases.

AGROLAB LUFA GmbH

Dr.-Hell-Str. 6, 24107 Kiel, Germany
www.agrolab.de



Date

06.09.2024

REPORT

Order

3483352 Order no: 2441

Sample no.

427122



**AGROLAB LUFA Service-Team L1,
Group leader:
Food chemist/counter-sampling expert**

The activities reported in this document are accredited according to DIN EN ISO/IEC 17025:2018. Only not accredited activities are identified by the symbol " *) " .

DOC-12-2009/010-EN-P18

AG Kiel
HRB 5796
Ust./VAT-ID-Nr:
DE 813 356 511

Geschäftsführer
Wiebke Puschmann
Dr. Stephanie Nagorny
Dr. Paul Wimmer
Dr. Torsten Zurmühl



page 18 of 18

Deutsche
Akkreditierungsstelle
D-PL-14082-01-00